LABORATORY SOLUTIONS FOR THE MODERN WORLD



OUR TEAM WILL MAKE YOUR DESIGN **COMES TRUE**



+91 97262 18377

swastikengg1006@gmail.com info@swastikengg.com

www.swastikengg.com









INTRODUCTION

A fume hood is laboratory equipment used to get rid of the fumes and toxins from the workplace. The primary function of the laboratory fume hood is to protect personnel from toxic exhalation or dust. Usually, the chemical fume hood is just a part of the lab ventilation system, serving to limit the toxic air to non-laboratory areas. Fume hoods from "Swastik Engineering" have a modern design that helps to cut energy ventilation costs. Our company is a manufacturer the most cost-effective and economical equipment which provide a complete combination of protection, safety, reliability, and a great efficiency. They are sold in a wide range of industries worldwide, e.g. pharmacy, medicine, research institute, electronics, etc

Our fume hood made of aerodynamically designed considering most efficient airflow to the suction. Double wall feature provides easy access to utilities like Water, gas, vacuum & electricity. Detachable base storage cabinets are provided with castors for easy maintenance, Sigma offers velocity of lining & work surfaces like Granite, ceramic, S.S., P.P. & FRP. Such is provided with 6 mm toughened glass & counter balance is provided to achieve easy movement. High performance centrifugal blower is provided with different ducting materials like PP/HDPE/PVC etc.







SWASTIK ENTERPRISE

Mfg. & Suppliers: ♦ BOD ♦ DE HUMIDIFIER ♦ BOD INCUBATOR ♦ WALKING CHAMBER ♦ STABILITY CHAMBERS ♦ AHU ♦ HUMIDITY CHAMBER ♦ DEEP FREEZER ♦ FREEZER DRYER ♦ BRINE CHILLING PLANTS ♦ COLD ROOM ♦ OTHER COOLING SYSTEMS ♦ CLEAN ROOM FURNITURE

TECHNICAL SPECIFICATION

DYNAMIC PASS BOX



Model	S EDP150	SEDP200	S EDP300
Design type	Dynamic	Dynamic	Dynamic
Cleanliness level	Class 100	Class 100	Class 100
Internal Dimension (in mm)	450Lx450Wx450H	610Lx610Wx610H	910Lx910Wx910H
Outer Dimension (in mm)	570LX510WX950H	730LX670WX1100H	1030LX970WX1410H
MOC	Stainless steel 304		
Illumination	LED tube light		
Air system	Motor-blower with suspension arrangement		
Filters	 Pre filter (95% down to 5 micron) HEPA filter (99.97%) Protected by SS grills 		
Door	 Two side doors Glass window SS handles & SS hinges Electromagnetic Interlocking system 		
Standard Fittings	 UV light Light indicators for door SS Handles & SS hinges On / Off Switch for blower 		
Power supply	220 Volts / 50 Hz		
Optional	 MOC SS 316 / 316 L Differential Pressure Gauge DOP Test Port Flange Test certificates Calibration certificate Mechanical door interlocking Door buzzer/UV light hour meter 		

Address: 7, Parmeshwar Industrial Estate, OppositeHDFC Bank, VatvaStaton Road GIDC Phase 1, Vatva Ahmedabad-382445 **Tel.:** 079 -40037876 **Mob.:** +91 98254 92002 **Email ID:** swastikenterprise2020@gmail.com